

## **Checklist of the land and freshwater Gastropoda of the Netherlands**

**Prepared by Ruud A. Bank**

**(Chopinlaan 21, 9603 AM Hoogezand, the Netherlands, phone +31-598-852132)**

**Last update: December 11<sup>th</sup>, 2021**

Send remarks/additions/corrections to [Ruud.Bank@quicknet.nl](mailto:Ruud.Bank@quicknet.nl)

### **Statement**

The nomenclature and systematic framework of this list follows that of MolluscaBase. MolluscaBase is a taxonomically oriented database which aims to provide an authoritative, permanently updated account of all molluscan species.

The systematic framework of the Gastropoda within the former Fauna Europaea initiative is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abandoned. The current systematic framework follows that of BOUCHET *et al.* (2017) as it is expected that this classification will be the golden standard in the scientific community for the next decades. This framework is also used in MolluscaBase.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time!

- BANK, R.A., BOUCHET, P., FALKNER, G., GITENBERGER, E., HAUSDORF, B., PROSCHWITZ, T. VON & RIPKEN, TH.E.J. (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – Helia, 4 (1/2): 77-128. München.  
BOUCHET, P., ROCROI, J.-P., HAUSDORF, B., KAIM, A., KANO, Y., NÜTZEL, A., PARKHAEV, P., SCHRÖDL, M. & STRONG, E.E. (2017): Revised classification, nomenclator and typification of gastropod and monoplacophoran families. – Malacologia, 61 (1/2): 1-526. Ann Arbor.
- 

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Neritimorpha KOKEN, 1896  
Ordo Cycloneritida FRÝDA, 1998  
Superfamilia Neritoidea RAFINESQUE, 1815  
Familia Neritidae RAFINESQUE, 1815  
Subfamilia Neritininae POEY, 1852

### **Genus *Theodoxus* MONTFORT, 1810**

#### **Subgenus *Theodoxus* MONTFORT, 1810**

- *Theodoxus (Theodoxus) fluviatilis* (LINNAEUS, 1758) – NL

Subclassis Caenogastropoda COX, 1960  
Infraclassis Architaenioglossa HALLER, 1890  
Superfamilia Cyclophoroidea GRAY, 1847  
Familia Aciculidae GRAY, 1850

### **Genus *Acicula* W. HARTMANN, 1821**

- *Acicula fusca* (MONTAGU, 1803) – NL

### **Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla polita polita* (W. HARTMANN, 1840) – NL

Superfamilia Viviparoidea GRAY, 1847  
Familia Viviparidae GRAY, 1847  
Subfamilia Viviparinae GRAY, 1847

### **Genus *Viviparus* MONTFORT, 1810**

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – NL
- *Viviparus contectus* (MILLET, 1813) – NL
- *Viviparus viviparus* (LINNAEUS, 1758) – NL

Subfamilia Bellamyinae ROHRBACH, 1937

### **Genus *Cipangopaludina* HANNIBAL, 1912**

- *Cipangopaludina chinensis* (GRAY, 1833) – NL

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
Ordo Cerithiimorpha GOLIKOV & STAROBOGATOV, 1975  
Superfamilia Cerithioidea J. FLEMING, 1822  
Familia Thiaridae GILL, 1871 (1823)  
Subfamilia Thiarinae GILL, 1871 (1823)

### **Genus *Melanoides* OLIVIER, 1804**

- *Melanoides tuberculata* (O.F. MÜLLER, 1774) – NL

Superordo Hypsogastropoda PONDER & LINDBERG, 1997  
Superfamilia Littorinoidea CHILDREN, 1834  
Familia Pomatiidae NEWTON, 1891 (1828)

### **Genus *Pomatias* S. STUDER, 1789**

- *Pomatias elegans* (O.F. MÜLLER, 1774) – NL

Superfamilia Truncatelloidea GRAY, 1840  
Familia Bithyniidae GRAY, 1857

### **Genus *Bithynia* LEACH, 1818**

- *Bithynia leachii* (SHEPPARD, 1823) – NL
- *Bithynia tentaculata* (LINNAEUS, 1758) – NL

Familia Cochliopidae TRYON, 1866  
Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

### **Genus *Eupaludestrina* J. MABILLE, 1877**

- *Eupaludestrina stagnorum* (GMELIN, 1791) – NL

### **Genus *Heleobia* STIMPSON, 1865**

- *Heleobia charruana* (D'ORBIGNY, 1841)

Familia Tateidae THIELE, 1925

**Genus *Potamopyrgus* STIMPSON, 1865**

- *Potamopyrgus antipodarum* (GRAY, 1843) – NL

Familia Hydrobiidae STIMPSON, 1865  
Subfamilia Hydrobiinae STIMPSON, 1865

**Genus *Ecrobia* STIMPSON, 1865**

- *Ecrobia ventrosa* (MONTAGU, 1803) – NL

**Genus *Peringia* PALADILHE, 1874**

- *Peringia ulvae* (PENNANT, 1777) – NL

Subfamilia Mercuriinae BOETERS & FALKNER, 2017

**Genus *Mercuria* BOETERS, 1971**

- *Mercuria anatina* (POIRET, 1801) – NL

Subfamilia Belgrandiellinae RADOMAN, 1983

**Genus *Bythiospeum* BOURGUIGNAT, 1882**

- *Bythiospeum husmanni* (C. BOETTGER, 1963) – NL?

Subfamilia Islamiinae RADOMAN, 1973

**Genus *Avenionia* NICOLAS, 1882**

- *Avenionia roberti* BOETERS, 1967 – NL

Familia Lithoglyphidae TRYON, 1866  
Subfamilia Lithoglyphinae TRYON, 1866

**Genus *Lithoglyphus* C. PFEIFFER, 1828**

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – NL

Familia Bythinellidae LOCARD, 1893

**Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936**

- *Marstoniopsis insubrica* (KÜSTER, 1853) – NL

**Genus *Bythinella* MOQUIN-TANDON, 1856**

- *Bythinella dunkeri* (FRAUENFELD, 1857) – NL (not found back in the last 50 years)

Familia Assimineidae H. ADAMS & A. ADAMS, 1856  
Subfamilia Assimineinae H. ADAMS & A. ADAMS, 1856

**Genus *Assiminea* J. FLEMING, 1828**

**Subgenus *Assiminea* J. FLEMING, 1828**

- *Assiminea (Assiminea) grayana* J. FLEMING, 1828 – NL

Subclassis Heterobranchia BURMEISTER, 1840  
Ordo Allogastropoda HASZPRUNAR, 1985  
Superfamilia Valvatoidea GRAY, 1840  
Familia Valvatidae GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – NL

**Subgenus *Tropidina* H. ADAMS & A. ADAMS, 1854**

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – NL

**Subgenus *Cincinnna* HÜBNER, 1810**

- *Valvata (Cincinnna) piscinalis* (O.F. MÜLLER, 1774) – NL

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814  
Ordo Hygrophila A. FÉRUSSAC, 1822  
Superfamilia Lymnaeoidea RAFINESQUE, 1815  
Familia Lymnaeidae RAFINESQUE, 1815  
Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

**Subgenus *Galba* SCHRANK, 1803**

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – NL

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – NL

**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola corvus* (GMELIN, 1791) – NL
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – NL
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – NL

**Genus *Omphiscola* RAFINESQUE, 1819**

- *Omphiscola glabra* (O.F. MÜLLER, 1774) – NL

Subfamilia Amphipeleinae PINI, 1877

**Genus *Radix* MONTFORT, 1810**

- *Radix auricularia* (LINNAEUS, 1758) – NL

**Genus *Peregriana* SERVAIN, 1882**

- *Peregriana peregra* (O.F. Müller, 1774) – NL [previously *Radix labiata* (ROSSMÄSSLER, 1835)]

**Genus *Ampullaceana* SERVAIN, 1882**

- *Radix balthica* (LINNAEUS, 1758) – NL [previously *Radix ovata* (DRAPARNAUD, 1805)]

**Genus *Myxas* G.B. SOWERBY I, 1822**

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – NL

Familia Physidae FITZINGER, 1833  
Subfamilia Physinae FITZINGER, 1833

**Genus *Physa* DRAPARNAUD, 1801**

- *Physa fontinalis* (LINNAEUS, 1758) – NL

**Genus *Physella* HALDEMAN, 1842**

**Subgenus *Acutiana* FAGOT, 1883**

- *Physella (Acutiana) acuta* (DRAPARNAUD, 1805) – NL

Subfamilia Aplexinae STAROBOGATOV, 1967

**Genus *Aplexa* FLEMING, 1820**

- *Aplexa hypnorum* (LINNAEUS, 1758) – NL

Familia Planorbidae RAFINESQUE, 1815  
Subfamilia Planorbinae RAFINESQUE, 1815  
Tribus Coretini GRAY, 1847

**Genus *Planorbarius* DUMÉRIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – NL

Tribus Helisomatini F.C. BAKER, 1928

**Genus *Planorbella* HALDEMAN, 1843**

- *Planorbella duryi* (WETHERBY, 1879) – NL

**Genus *Menetus* H. ADAMS & A. ADAMS, 1855**  
**Subgenus *Dilatata* CLESSIN, 1885**

- *Menetus (Dilatata) dilatatus* (A.A. GOULD, 1841) – NL

Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – NL
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – NL

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – NL
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – NL?

**Subgenus *Disculifer* C. BOETTGER, 1944**

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – NL

- *Anisus (Disculifer) vorticulus* (TROSCHEL, 1834) – NL

**Genus *Bathyomphalus* CHARPENTIER, 1837**

- *Bathyomphalus contortus* (LINNAEUS, 1758) – NL

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – NL
- *Gyraulus (Gyraulus) chinensis* (DUNKER, 1848) – NL

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) parvus* (SAY, 1817) – NL [synonym: *Iaevius* ALDER, 1838]

**Subgenus *Lamorbis* STAROBOGATOV, 1967**

- *Gyraulus (Lamorbis) riparius* (WESTERLUND, 1865) – NL

**Subgenus *Armiger* W. HARTMANN, 1843**

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – NL

Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – NL

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – NL

Subfamilia Ancylineae RAFINESQUE, 1815  
Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – NL

Subfamilia Miratestini P. SARASIN & F. SARASIN, 1897

**Genus *Ferrissia* WALKER, 1903**

- *Ferrissia californica* (ROWELL, 1863) – NL

Familia Acroloxiidae THIELE, 1931

**Genus *Acroloxus* H. BECK, 1838**

- *Acroloxus lacustris* (LINNAEUS, 1758) – NL

Superordo Eupulmonata HASZPRUNAR & HUBER, 1990  
Ordo Amphipulmonata SCHRÖDL, 2014  
Subordo Ellobioina L. PFEIFFER, 1854 (1822)  
Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)  
Familia Ellobiidae L. PFEIFFER, 1854 (1822)

Subfamilia Pythiinae ODHNER, 1925 (1880)

**Genus *Myosotella* MONTEROSATO, 1906**

- *Myosotella denticulata* (MONTAGU, 1803) – NL
- *Myosotella myosotis* (DRAPARNAUD, 1801) – NL

Subfamilia Ellobiinae L. PFEIFFER, 1854 (1822)

**Genus *Leucophytia* WINCKWORTH, 1949**

- *Leucophytia bidentata* (MONTAGU, 1808) – NL

Familia Carychiidae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

- *Carychium minimum* O.F. MÜLLER, 1774 – NL
- *Carychium tridentatum* (RISSO, 1826) – NL

Ordo Stylommatophora A. SCHMIDT, 1855

Subordo Achatinina SCHILEYKO, 1979

Superfamilia Achatinoidea SWAINSON, 1840

Familia Ferussaciidae BOURGUIGNAT, 1883

Genus ***Ceciliooides*** A. Féruccac, 1814

Subgenus ***Ceciliooides*** A. Féruccac, 1814

- *Ceciliooides (Ceciliooides) acicula* (O.F. MÜLLER, 1774) – NL

Subordo Helicina MINICHEV & STAROBEGATOV, 1975

Infraordo Succineoidei BUTOT & KIAUTA, 1967

Superfamilia Succineoidea H. BECK, 1837

Familia Succineidae H. BECK, 1837

Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* (LINNAEUS, 1758) – NL

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – NL

**Genus *Oxyloma* WESTERLUND, 1885**

Subgenus ***Oxyloma*** WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – NL

- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – NL

Subfamilia Catinellinae ODHNER, 1950

**Genus *Quickella* C. BOETTGER, 1939**

- *Quickella arenaria* (POTIEZ & MICHAUD, 1838) – NL (not found back in the last 50 years)

Infraordo Pupilloidei Schileyko, 1979

Superfamilia Pupilloidea TURTON, 1831

Familia Cochlicopidae PILSBRY, 1900 (1879)

**Genus *Cochlicopa* A. FÉRUSSAC, 1821**

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – NL
- *Cochlicopa lubricella* (PORRO, 1838) – NL

Familia Lauriidae STEENBERG, 1925

**Genus *Lauria* GRAY, 1840**

**Subgenus *Lauria* GRAY, 1840**

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – NL

Familia Orculidae PILSBRY, 1918

**Genus *Sphyradium* CHARPENTIER, 1837**

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – NL

Familia Pupillidae TURTON, 1831

**Genus *Pupilla* FLEMING, 1828**

**Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – NL

Familia Truncatellinidae STEENBERG, 1925

**Genus *Columella* WESTERLUND, 1878**

- *Columella aspera* WALDÉN, 1966 – NL
- *Columella edentula* (DRAPARNAUD, 1805) – NL

**Genus *Truncatellina* R.T. LOWE, 1852**

- *Truncatellina cylindrica* (A. FÉRUSSAC, 1807) – NL

Familia Vertiginidae FITZINGER, 1833  
Subfamilia Vertigininae FITZINGER, 1833

**Genus *Vertigo* O.F. MÜLLER, 1773**

**Subgenus *Vertigo* O.F. MÜLLER, 1773**

- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – NL

**Subgenus *Alaea* Jeffreys, 1830**

- *Vertigo (Alaea) antivertigo* (DRAPARNAUD, 1801) – NL
- *Vertigo (Alaea) substriata* (JEFFREYS, 1833) – NL

**Subgenus *Isthmia* Gray, 1821**

- *Vertigo (Isthmia) mouliniana* (DUPUY, 1849) – NL
- *Vertigo (Isthmia) pygmaea* (DRAPARNAUD, 1801) – NL

**Subgenus *Vertilla* MOQUIN-TANDON, 1856**

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – NL

Familia Enidae B.B. WOODWARD, 1903 (1880)  
 Subfamilia Eninae B.B. WOODWARD, 1903 (1880)  
 Tribus Multidentulini SCHILEYKO, 1978

#### **Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – NL

Familia Valloniidae MORSE, 1864

#### **Genus *Vallonia* RISSO, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – NL
- *Vallonia excentrica* STERKI, 1893 – NL
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – NL

#### **Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – NL

#### **Genus *Spermodea* WESTERLUND, 1903**

- *Spermodea lamellata* (JEFFREYS, 1830) – NL (not found back in the last 50 years)

Superfamilia Punctoidea MORSE, 1864  
Familia Punctidae MORSE, 1864

#### **Genus *Punctum* MORSE, 1864**

##### **Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – NL

#### **Genus *Paralaoma* IREDALE, 1913**

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – NL

Familia Helicodiscidae H.B. BAKER, 1927

#### **Genus *Lucilla* R.T. LOWE, 1852**

- *Lucilla scintilla* (R.T. LOWE, 1852) – NL
- *Lucilla singleyana* (PILSBRY, 1889) [probably in the Netherlands as well – to be investigated !]

Familia Discidae THIELE, 1931 (1866)

#### **Genus *Discus* FITZINGER, 1833**

##### **Subgenus *Gonyodiscus* FITZINGER, 1833**

- *Discus (Gonyodiscus) rotundatus* rotundatus (O.F. MÜLLER, 1774) – NL

Infraordo Clausilioidei H. NORDSIECK, 1993  
 Superfamilia Clausilioidea L. PFEIFFER & GRAY, 1855  
Familia Clausiliidae L. PFEIFFER & GRAY, 1855  
 Subfamilia Alopiinae A.J. WAGNER, 1913  
 Tribus Cochlodinini LINDHOLM, 1925 (1923)

**Genus *Cochlodina* A. FÉRUSSAC, 1821**

**Subgenus *Cochlodina* A. FÉRUSSAC, 1821**

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – NL

Subfamilia Clausiliinae GRAY, 1855

Tribus Clausiliini GRAY, 1855

**Genus *Macrogastera* W. HARTMANN, 1841**

**Subgenus *Pseudovestia* H. NORDSIECK, 1977**

- *Macrogastera (Pseudovestia) rolphii rolphii* (TURTON, 1826) – NL

**Subgenus *Pyrostoma* VEST, 1867**

- *Macrogastera (Pyrostoma) attenuata lineolata* (HELD, 1836) – NL

**Genus *Clausilia* DRAPARNAUD, 1805**

**Subgenus *Clausilia* DRAPARNAUD, 1805**

- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – NL
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSSAC, 1807) – NL

**Subgenus *Andraea* L. PFEIFFER, 1848**

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – NL

Tribus Baleini A.J. WAGNER, 1913

**Genus *Balea* GRAY, 1824**

- *Balea heydeni* VON MALTZAN 1881 – NL
- *Balea perversa* (LINNAEUS, 1758) – NL

**Genus *Alinda* H. ADAMS & A. ADAMS, 1855**

- *Alinda biplicata biplicata* (MONTAGU, 1803) – NL

Superfamilia Trochomorphidae MÖRCH, 1864

Familia Euconulidae H.B. BAKER, 1928

Subfamilia Euconulinae H.B. BAKER, 1928

**Genus *Euconulus* REINHARDT, 1883**

**Subgenus *Euconulus* REINHARDT, 1883**

- *Euconulus (Euconulus) fulvus fulvus* (O.F. MÜLLER, 1774) – NL [= *trochiformis* MONTAGU, 1803]
- *Euconulus (Euconulus) alderi* (Gray, 1840) – NL [= *praticola* REINHARDT, 1883]

Superfamilia Gastrodontoidea TRYON, 1866

Familia Pristilomatidae T. COCKERELL, 1891

**Genus *Vitrea* FITZINGER, 1833**

- *Vitrea contracta* (WESTERLUND, 1871) – NL
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – NL

Familia Gastrodontidae TRYON, 1866

**Genus *Zonitoides* LEHMANN, 1862**

**Subgenus *Zonitoides* LEHMANN, 1862**

- *Zonitoides (Zonitoides) excavatus* (ALDER, 1830) – NL
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – NL

**Genus *Aegopinella* LINDHOLM, 1927**

- *Aegopinella nitens* (MICHAUD, 1831) – NL
- *Aegopinella nitidula* (DRAPARNAUD, 1805) – NL
- *Aegopinella pura* (ALDER, 1830) – NL

**Genus *Perpolita* H.B. BAKER, 1928**

- *Perpolita hammonis* (STRØM, 1765) – NL

Familia Oxychilidae P. HESSE, 1927 (1879)  
Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

**Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – NL
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – NL

**Subgenus *Ortzius* FORCART, 1957**

- *Oxychilus (Ortzius) alliarius* (J.S. MILLER, 1822) – NL
- *Oxychilus (Ortzius) navarricus helveticus* (BLUM, 1881) – NL

Subfamilia Daudebardiinae KOBELT, 1906

**Genus *Daudebardia* W. HARTMANN, 1821**

**Subgenus *Daudebardia* W. HARTMANN, 1821**

- *Daudebardia (Daudebardia) brevipes* (Draparnaud, 1805) – NL
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – NL

Superfamilia Testacelloidea GRAY, 1840  
Familia Testacellidae GRAY, 1840

**Genus *Testacella* LAMARCK, 1801**

**Subgenus *Testacella* LAMARCK, 1801**

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – NL

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)  
Familia Parmacellidae P. FISCHER, 1856 (1855)

**Genus *Drusia* GRAY, 1855**

**Subgenus *Drusia* GRAY, 1855**

- *Drusia (Drusia) valenciennii* (WEBB & VAN BENEDEN, 1836) – NL

Familia Milacidae ELLIS, 1926

**Genus *Milax* GRAY, 1855**

- *Milax gagates* (DRAPARNAUD, 1801) – NL
- *Milax nigricans* (PHILIPPI, 1836) – NL

**Genus *Tandonia* LESSONA & POLLONERA, 1882**

- *Tandonia budapestensis* (HAZAY, 1880) – NL
- *Tandonia rustica* (MILLET, 1843) – NL
- *Tandonia sowerbyi* (A. FÉRUSSAC, 1823) – NL

Superfamilia Limacoidea BATSCH, 1789  
Familia Vitrinidae FITZINGER, 1833

**Genus *Vitrinobrachium* KÜNKEL, 1929**

- *Vitrinobrachium breve* (A. FÉRUSSAC, 1821) – NL

**Genus *Eucobresia* H.B. BAKER, 1929**

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – NL

**Genus *Vitrina* DRAPARNAUD, 1801**

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – NL

**Genus *Phenacolimax* STABILE, 1859**

- *Phenacolimax major* (A. FÉRUSSAC, 1807) – NL

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

**Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – NL

Familia Limacidae LAMARCK, 1801  
Subfamilia Limicinae LAMARCK, 1801

**Genus *Limax* LINNAEUS, 1758**

- *Limax cinereoniger* WOLF, 1803 – NL
- *Limax maximus* LINNAEUS, 1758 – NL

**Genus *Limacus* LEHMANN, 1864**

- *Limacus flavus* (LINNAEUS, 1758) – NL
- *Limacus maculatus* (KALENICZENKO, 1851) – NL

**Genus *Malacolimax* MÅLÅM, 1868**

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – NL

**Genus *Lehmannia* HEYNEMANN, 1863**

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – NL

**Genus *Ambigolimax* POLLONERA, 1887**

- *Ambigolimax valentianus* (A. FÉRUSSAC, 1822) – NL

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

**Genus *Deroceras* RAFINESQUE, 1820**

**Subgenus *Deroceras* RAFINESQUE, 1820**

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – NL
- *Deroceras (Deroceras) invadens* REISE, HUTCHINSON, SCHUNACK & SCHLITT, 2011 – NL
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – NL
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – NL
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – NL

Superfamilia Arionoidea GRAY, 1840  
Familia Arionidae GRAY, 1840

**Genus *Arion* A. FÉRUSSAC, 1819**

**Subgenus *Arion* A. FÉRUSSAC, 1819**

- *Arion (Arion) rufus* (LINNAEUS, 1758) – NL
- *Arion (Arion) vulgaris* MOQUIN-TANDON, 1855 – NL

**Subgenus *Mesarion* P. HESSE, 1926**

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – NL
- *Arion (Mesarion) subfuscus* (DRAPARNAUD, 1805) – NL

**Subgenus *Carinarion* P. HESSE, 1926**

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – NL
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – NL

**Subgenus *Kobeltia* SEIBERT, 1873**

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – NL
- *Arion (Kobeltia) hortensis* A. FÉRUSSAC, 1819 – NL
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – NL

Superfamilia Helicoidea RAFINESQUE, 1815  
Familia Bradybaenidae PILSBRY, 1934 (1898)  
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
Tribus Bradybaenini PILSBRY, 1934 (1898)

**Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – NL

Familia Helicodontidae KOBELT, 1904  
Subfamilia Helicodontinae KOBELT, 1904

**Genus *Helicodonta* A. FÉRUSSAC, 1821**

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – NL

Familia Hygromiidae TRYON, 1866  
Subfamilia Hygromiinae TRYON, 1866  
Tribus Hygromiini TRYON, 1866

**Genus *Hygromia* RISSO, 1826**

**Subgenus *Hygromia* RISSO, 1826**

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – NL

Subfamilia Monachinae WENZ, 1930 (1904)  
Tribus Monachaini WENZ, 1930 (1904)

**Genus *Monacha* FITZINGER 1833**

**Subgenus *Monacha* FITZINGER 1833**

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – NL
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – NL

Subfamilia Trochulinae LINDHOLM, 1927  
Tribus Trochulini LINDHOLM, 1927

**Genus *Trochulus* CHEMNITZ, 1786**

- *Trochulus hispidus* (LINNAEUS, 1758) – NL
- *Trochulus striolatus* (C. PFEIFFER, 1828) – NL

Tribus Perforatellini NEIBER, RAZKIN & HAUSDORF, 2017

**Genus *Pseudotrichia* SCHILEYKO, 1970**

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – NL

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides incarnatus* (O.F. MÜLLER, 1774) – NL

Familia Geomitridae C.R. BOETTGER, 1909  
Subfamilia Geomitrinae C.R. BOETTGER, 1909  
Tribus Cochlicellini SCHILEYKO, 1972

**Genus *Cochlicella* A. FÉRUSSAC, 1821**

- *Cochlicella acuta* (O.F. MÜLLER, 1774) – NL

**Genus *Prietocella* SCHILEYKO & MENKHORST, 1997**

- *Prietocella barbara* (LINNAEUS, 1758) – NL

Subfamilia Helicellinae IHERING, 1909  
Tribus Helicellini IHERING, 1909

**Genus *Xerotricha* MONTEROSATO, 1892**

- *Xerotricha apicina* (LAMARCK, 1822) – NL
- *Xerotricha conspurcata* (DRAPARNAUD, 1801) – NL

**Genus *Helicella* A. FÉRUSSAC, 1821**

- *Helicella itala* (LINNAEUS, 1758) – NL

**Genus *Candidula* KOBELT, 1871**

- *Candidula unifasciata unifasciata* (POIRET, 1801) – NL

**Genus *Backeljaia* CHUECA, GÓMEZ-MOLINER, MADEIRA & PFENNINGER, 2018**

- *Backeljaia gigaxii* (L. PFEIFFER, 1847) – NL

**Genus *Xeroplexa* MONTEROSATO, 1892**

- *Xeroplexa intersecta* (POIRET, 1801) – NL

Tribus Cernuellini SCHILEYKO, 1991

**Genus *Cernuella* SCHLÜTER, 1838**

**Subgenus *Cernuella* SCHLÜTER, 1838**

- *Cernuella (Cernuella) aginnica* (LOCARD, 1882) – NL
- *Cernuella (Cernuella) cisalpina* (ROSMÄSSLER, 1837) – NL
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – NL

**Subgenus *Xerocincta* MONTEROSATO, 1892**

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – NL

Familia Helicidae RAFINESQUE, 1815  
Subfamilia Ariantinae MÖRCH, 1864

**Genus *Arianta* TURTON, 1831**

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – NL

**Genus *Helicigona* A. FÉRUSSAC, 1821**

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – NL

Subfamilia Helicinae RAFINESQUE, 1815  
Tribus Thebini WENZ, 1923

**Genus *Theba* Risso, 1826**

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – NL

**Genus *Cornu* BORN, 1778**

- *Cornu aspersum* (O.F. MÜLLER, 1774) – NL

Tribus Allognathini WESTERLUND, 1903

**Genus *Cepaea* HELD, 1838**

**Subgenus *Cepaea* HELD, 1838**

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – NL
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – NL

Tribus Helicini RAFINESQUE, 1815

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) pomatia* LINNAEUS, 1758 – NL

## **Checklist of the freshwater Bivalvia of the Netherlands**

**Prepared by Gerard D. Majoor and Ruud A. Bank**

**Created: 26 December, 2021**

Send remarks/additions/corrections to gmajoor87@gmail.com

### **Statement**

The nomenclature and systematic framework of this list follows primarily that of MolluscaBase, with a few adaptations as found in LYDEARD & CUMMINGS (2019). MolluscaBase is a taxonomically oriented database which aims to provide an authoritative, permanently updated account of all molluscan species. We have refrained from mentioning here subgenera, and also from mentioning subspecies. This is because there are no comprehensive studies pertaining to freshwater molluscs focusing on these aspects, thus making decisions on this level rather subjective.

The current list will be updated regularly. Therefore, the authors encourage others to provide them with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time!

- BANK, R.A., BOUCHET, P., FALKNER, G., GITTEMBERGER, E., HAUSDORF, B., PROSCHWITZ, T. VON & RIPKEN, TH.E.J. (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Hednia* 4(1/2): 77-128.
- BIELER, R., CARTER, J.G. & COAN, E.V. (2010). Classification of Bivalve families. In: P. BOUCHET & J.-P. ROCROI (eds.), *Nomenclator of Bivalve families*. – *Malacologia* 52(2): 113-133.
- LYDEARD, C. & CUMMINGS, K.S. (eds.) (2019): Freshwater mollusks of the world. A distributional atlas. – Johns Hopkins University Press, Baltimore.

Phylum Mollusca CUVIER, 1795  
 Classis Bivalvia LINNAEUS, 1758  
 Subclassis Autobranchia GROBBEN, 1894  
 Infraclassis Heteroconchia GRAY, 1854  
 Subterclassis Palaeoheterodonta NEWELL, 1965  
 Ordo Unionida  
 Superfamilia Unioidea RAFINESQUE, 1820  
Familia Unionidae RAFINESQUE, 1820  
 Subfamilia Unioninae RAFINESQUE, 1820  
 Tribus Unionini RAFINESQUE, 1820

### **Genus *Unio* PHILIPSSON, 1788**

- *Unio pictorum* (LINNAEUS, 1758) – NL
- *Unio tumidus* PHILIPSSON, 1788 – NL
- *Unio crassus* PHILIPSSON, 1788 – NL

Tribus Anodontini RAFINESQUE, 1820  
 Subtribus Anodontina RAFINESQUE, 1820

### **Genus *Anodonta* LAMARCK, 1799**

- *Anodonta anatina* (LINNAEUS, 1758) – NL

- *Anodonta cygnea* (LINNAEUS, 1758) – NL

**Genus *Pseudanodonta* BOURGUIGNAT, 1877**

- *Pseudanodonta complanata* (ROSMÄSSLER, 1835) – NL

Subtribus Cristariina LOPES-LIMA, BOGAN & FROUFE, 2017

**Genus *Sinanodonta* MODELL, 1945**

- *Sinanodonta woodiana* (I. LEA, 1834) – NL

Subterclassis Euheterodontia GIRIBET & DISTEL, 2003  
 Superordo Imparidentia BIELER, MIKKELSEN & GIRIBET, 2014  
 Ordo Venerida GRAY, 1854  
 Superfamilia Mactroidea LAMARCK, 1809  
Familia Mactridae LAMARCK, 1809  
 Subfamilia Mactriniae LAMARCK, 1809

**Genus *Rangia* DESMOULINS, 1832**

- *Rangia cuneata* (G.B. SOWERBY I, 1832) – NL

Superfamilia Cyrenoidea GRAY, 1840  
Familia Cyrenidae GRAY, 1840

**Genus *Corbicula* MEGERLE VON MÜHLFELD, 1811**

- *Corbicula fluminalis* (O.F. MÜLLER, 1774) – NL
- *Corbicula fluminea* (O.F. MÜLLER, 1774) – NL

Ordo Cardiida FÉRUSSAC, 1822  
 Superfamilia Cardioidea LAMARCK, 1809  
Familia Cardiidae LAMARCK, 1809  
 Subfamilia Lymnocardiinae STOLICZKA, 1870  
 Tribus Cerastodermatini F. NORDSIECK, 1969

**Genus *Cerastoderma* POLI, 1795**

- *Cerastoderma glaucum* (BRUGUIÈRE, 1789) – NL

Ordo Sphaeriida LEMER, BIELER & GIRIBET, 2019  
 Superfamilia Sphaeroidea DESHAYES, 1855 (1820)  
Familia Sphaeriidae DESHAYES, 1855 (1820)  
 Subfamilia Sphaeriinae DESHAYES, 1855 (1820)

**Genus *Sphaerium* SCOPOLI, 1777**

- *Sphaerium corneum* (LINNAEUS, 1758) – NL
- *Sphaerium nucleus* (STUDER, 1820) – NL
- *Sphaerium ovale* (A. FÉRUSSAC, 1807) – NL
- *Sphaerium rivicola* (LAMARCK, 1818) – NL
- *Sphaerium solidum* (NORMAND, 1844) – NL

**Genus *Musculium* LINK, 1807**

- *Musculium lacustre* (O.F. MÜLLER, 1774) – NL
- *Musculium transversum* (SAY, 1829) – NL

**Genus *Pisidium* C. PFEIFFER, 1821**

- *Pisidium amnicum* (O.F. MÜLLER, 1774) – NL

**Genus *Euglesa* JENYNS, 1832**

- *Euglesa casertana* (POLI, 1791) – NL
- *Euglesa compressa* (PRIME, 1852) – NL
- *Euglesa crassa* (STELFOX, 1918) – NL
- *Euglesa globularis* (CLESSIN, 1873) – NL
- *Euglesa henslowana* (SHEPPARD, 1825) – NL
- *Euglesa hibernica* (WESTERLUND, 1894) – NL
- *Euglesa milium* (HELD, 1836) – NL
- *Euglesa nitida* (JENYNS, 1832) – NL
- *Euglesa personata* (MALM, 1855) – NL
- *Euglesa ponderosa* (STELFOX, 1918) – NL
- *Euglesa pseudosphaerium* (FAVRE, 1927) – NL
- *Euglesa pulchella* (JENYNS, 1832) – NL
- *Euglesa subtruncata* (MALM, 1855) – NL
- *Euglesa supina* (SCHMIDT, 1850) – NL

**Genus *Cycloalyx* DALL, 1903**

- *Cycloalyx obtusalis* (LAMARCK, 1818) – NL

**Genus *Odhneripisidium* KUIPER, 1962**

- *Odhneripisidium moitessierianum* (PALADILHE, 1866) – NL
- *Odhneripisidium tenuilinatum* (STELFOX, 1918) – NL (not found back in the last 50 years)

Ordo Myida STOLICZKA, 1870  
Superfamilia Dreissenoidae GRAY, 1840  
Familia Dreissenidae GRAY, 1840  
Subfamilia Dreissininae GRAY, 1840

**Genus *Dreissena* VAN BENEDEK, 1835**

- *Dreissena bugensis* ANDRUSOV, 1897 – NL
- *Dreissena polymorpha* (PALLAS, 1771) – NL

**Genus *Mytilopsis* CONRAD, 1858**

- *Mytilopsis leucophaeata* (CONRAD, 1831) – NL

Infraclassis Pteriomorpha BEURLEN, 1944  
Ordo Mytilida A. FÉRUSSAC, 1822  
Superfamilia Mytiloidea RAFINESQUE, 1815  
Familia Mytilidae RAFINESQUE, 1815  
Subfamilia Brachydontinae F. NORDSIECK, 1969

**Genus *Ischadium* JUKES-BROWNE, 1905**

- *Ischadium recurvum* (RAFINESQUE, 1820) – NL